



COUNTY OF IMPERIAL

BOWKER RD REHABILITATION FROM JASPER RD. TO FAWCETT RD. IN IMPERIAL COUNTY; STATE AID PROJECT No. LPPSB1L- 5958(134) COUNTY PROJECT No. 7206

GENERAL NOTES

STREET IMPROVEMENT GENERAL NOTES

1. COUNTY ENCROACHMENT PERMIT CONDITIONS AND PROVISIONS SHALL TAKE PRECEDENCE OVER THE APPROVED PLANS AND SPECIFICATIONS FOR ANY CONFLICTS.
2. THE STRUCTURAL SECTIONS SHALL BE IN ACCORDANCE WITH IMPERIAL COUNTY STANDARDS (OR CALTRANS IF IN STATE ROW) AND AS APPROVED BY THE PUBLIC WORKS DIRECTOR (OR CALTRANS).
3. APPROVAL OF THESE IMPROVEMENT PLANS AS SHOWN DOES NOT CONSTITUTE APPROVAL OF ANY CONSTRUCTION OUTSIDE THE PROJECT BOUNDARY.
4. ALL UNDERGROUND UTILITIES WITHIN THE STREET RIGHT-OF-WAY SHALL BE CONSTRUCTED, CONNECTED AND TESTED PRIOR TO CONSTRUCTION OF BERM, CURB, CROSS-GUTTER AND PAVING.
5. THE EXISTENCE AND LOCATION OF EXISTING UNDERGROUND FACILITIES SHOWN ON THESE PLANS WERE OBTAINED BY A SEARCH OF THE AVAILABLE RECORDS. TO THE BEST OF OUR KNOWLEDGE, THERE ARE NO OTHER EXISTING FACILITIES EXCEPT AS SHOWN ON THESE PLANS. HOWEVER, THE CONTRACTOR IS REQUIRED TO TAKE PRECAUTIONARY MEASURES TO PROTECT ANY EXISTING FACILITY SHOWN HEREON AND ANY OTHER WHICH IS NOT OF RECORD OR NOT SHOWN ON THESE PLANS.
6. LOCATION AND ELEVATIONS OF IMPROVEMENTS TO BE MET BY WORK TO BE DONE SHALL BE CONFIRMED BY FIELD MEASUREMENTS PRIOR TO CONSTRUCTION OF NEW WORK. CONTRACTOR WILL MAKE EXPLORATORY EXCAVATIONS AND LOCATE EXISTING UNDERGROUND FACILITIES SUFFICIENTLY AHEAD OF CONSTRUCTION TO PERMIT REVISIONS TO PLANS IF REVISION ARE NECESSARY BECAUSE OF ACTUAL LOCATION OF EXISTING FACILITIES.
7. UTILITIES COORDINATION

NO LESS THAN 3 WORKING DAYS PRIOR TO ANY EXCAVATION OR TRENCHING, EACH CONTRACTOR DURING SUCH WORK SHALL CONTACT THE FOLLOWING AGENCIES SO THAT EXISTING UNDERGROUND UTILITIES MAY BE LOCATED. THE AGENCY MAY REQUIRE AN INSPECTOR TO BE PRESENT.

- | | |
|---|----------------|
| 1. IMPERIAL IRRIGATION DISTRICT (POWER) | (800) 303-7756 |
| 2. IMPERIAL IRRIGATION DISTRICT (WATER) | (760) 339-9380 |
| 3. AT&T | (337) 337-3314 |
| 4. THE GAS CO. | (909) 335-7982 |
| 5. THE CABLE COMPANY (SPECTRUM) | (760) 670-8969 |

EXISTING UNDERGROUND UTILITIES

BEFORE EXCAVATING FOR THIS CONTRACT, VERIFY LOCATION OF UNDERGROUND UTILITIES. THE EXISTENCE AND LOCATION OF ANY UNDERGROUND UTILITY PIPES OR STRUCTURES SHOWN ON THESE PLANS HAS BEEN OBTAINED FROM AVAILABLE RECORDS ONLY AND MAY NOT REFLECT ALL EXISTING UTILITIES. LOCATION OF ALL EXISTING UTILITIES SHALL BE CONFIRMED BY FIELD MEASUREMENTS BY CONTRACTOR PRIOR TO CONSTRUCTION OF WORK.

CONTRACTOR IS REQUIRED TO TAKE PRECAUTIONARY MEASURES TO PROTECT THE UTILITY LINES SHOWN HEREON AND ANY OTHER EXISTING LINES NOT OF RECORD OR NOT SHOWN ON THESE PLANS.

ACCURATE VERIFICATIONS AS TO SIZE, LOCATION AND DEPTH OF EXISTING UNDERGROUND SERVICES SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR. THE CONTRACTOR SHALL NOTIFY THE SOUTHERN CALIFORNIA GAS COMPANY, AT&T, IMPERIAL IRRIGATION DISTRICT AND ANY OTHER AFFECTED UTILITY AGENCIES PRIOR TO STARTING HIS WORK NEAR SUCH UTILITY FACILITIES AND SHALL COORDINATE HIS WORK WITH UTILITY REPRESENTATIVES. FOR LOCATION OF UNDERGROUND UTILITIES AND APPURTENANCES, CONTACT "UNDERGROUND SERVICE ALERT" AT 811.

8. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO CONTACT THE UTILITY AGENCIES, ADVISE THEM OF THE PROPOSED IMPROVEMENTS AND BEAR THE COST OF RELOCATIONS, IF NEEDED.
9. CONSTRUCT A PUBLIC STREET LIGHT SYSTEM CONFORMING TO APPROPRIATE STANDARDS AND STREET LIGHT SPECIFICATIONS. POWER SOURCES AND RUNS SHALL BE SHOWN ON THE "AS-BUILT" IMPROVEMENT DRAWINGS. ALL POWER SOURCES SHALL BE LOCATED WITHIN THE DEDICATED RIGHT-OF-WAY OR EASEMENT.
10. NO PAVING SHALL BE DONE UNTIL EXISTING POWER POLES ARE RELOCATED OUTSIDE THE AREAS TO BE PAVED.
11. PRIVATE ROAD IMPROVEMENTS SHOWN HEREON ARE FOR INFORMATION ONLY. COUNTY OFFICIALS SIGNATURE HEREON DOES NOT CONSTITUTE APPROVAL OR RESPONSIBILITY OF ANY KIND FOR THE DESIGN OR CONSTRUCTION OF THESE PRIVATE IMPROVEMENTS.
12. ALL SIGNS TO BE ALUMINUM WITH 3M HIGH INTENSITY TYPE REFLECTIVE FACE OR EQUIVALENT.
13. CONTRACTOR WILL BE RESPONSIBLE FOR THE REPLACEMENT OF ANY STRIPING, PAVEMENT MARKERS, OR LEGENDS OBLITERATED BY THE CONSTRUCTION OF THIS PROJECT.
14. THE CONTRACTOR SHALL DO ALL NEW STRIPING AND SANDBLASTING OF REDUNDANT STRIPING.
15. THE CONSTRUCTION OF ONE PGG STANDARD DRIVEWAY PER LOT LOCATION TO BE DETERMINED IN THE FIELD BY THE ENGINEER OF WORK. PGG SURFACING OF DRIVEWAY TO EXTEND FROM CURB TO PROPERTY LINE UNLESS OTHERWISE SHOWN.
16. THE CONTRACTOR SHALL BE RESPONSIBLE TO SECURE AN ENCROACHMENT PERMIT FROM THE COUNTY OF IMPERIAL DEPARTMENT OF PUBLIC WORKS FOR ANY EXCAVATION OR CONSTRUCTION WITHIN COUNTY ROAD RIGHT-OF-WAY. FOR INSPECTIONS, 48 HOUR MINIMUM NOTICE IS REQUIRED, (442) 265-1818. ADDITIONALLY, UNDERGROUND SERVICE ALERT (USA) MUST BE CALLED TWO WORKING DAYS BEFORE THE CONTRACTOR MAY EXCAVATE. THEIR CONTACT NUMBER IS 811. ALL WORK AND MATERIALS ARE SUBJECT TO THE INSPECTION AND APPROVAL FROM THE COUNTY DEPARTMENT OF PUBLIC WORKS OR THEIR REPRESENTATIVE.

17. NO REVISIONS OF ANY KIND SHALL BE MADE TO THESE PLANS WITHOUT THE PRIOR WRITTEN APPROVAL OF BOTH THE COUNTY ENGINEER (OR HIS REPRESENTATIVE) AND THE ENGINEER OF RECORD. A REPRODUCIBLE AS-BUILT PLAN SET WILL BE PROVIDED TO THE PUBLIC WORKS DEPARTMENT AS A CONDITION OF SUBSTANTIAL CONSTRUCTION COMPLETION AND PRIOR TO ACCEPTANCE.
18. ALL WORK AND MATERIALS SHALL CONFORM TO THESE PLANS AND SPECIFICATIONS, THE IMPERIAL COUNTY DEPARTMENT OF PUBLIC WORKS STANDARDS AND ENCROACHMENT PERMIT CONDITIONS, ANY REFERENCED STANDARDS AND SPECIFICATIONS AND THE REQUIREMENTS OF THE AGENCIES REFERRED TO HEREIN. ALL WORK SHOWN OR INDICATED BY THESE PLANS SHALL BE COMPLETED IN ACCORDANCE WITH THE STANDARDS, POLICIES AND REGULATIONS OF IMPERIAL COUNTY; WHERE, OR IF, CONFLICTS OCCUR, THEN THE IMPERIAL COUNTY REQUIREMENTS SHALL GOVERN.
19. UNLESS SPECIFICALLY INDICATED OTHERWISE METHODS EMPLOYED AND MATERIAL USED IN THE CONSTRUCTION OF ALL OFFSITE IMPROVEMENTS SHALL CONFORM TO THE APPLICABLE PROVISIONS OF THE "STATE OF CALIFORNIA, DEPARTMENT OF TRANSPORTATION STANDARD SPECIFICATIONS DATED MAY 2006". ALL WORK IS SUBJECT TO INSPECTION AND APPROVAL AS REQUIRED.
20. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO OBTAIN AN EXCAVATION PERMIT FROM THE STATE OF CALIFORNIA DIVISION OF SAFETY AND TO ADHERE TO ALL PROVISIONS OF THE STATE CONSTRUCTION SAFETY ORDERS AND STANDARDS.
21. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO ADHERE FULLY WITH THE GENERAL CONSTRUCTION ACTIVITY STORM WATER PERMIT FROM THE STATE WATER RESOURCES CONTROL BOARD DIVISION OF WATER QUALITY. CONTACT "STATE WATER RESOURCES CONTROL BOARD, DIVISION OF WATER QUALITY, ATTENTION: STORM WATER PERMIT UNIT, P.O. BOX 1977, SACRAMENTO, CALIFORNIA, 95812".
22. CONSTRUCTION PROJECTS DISTURBING MORE THAN ONE ACRE MUST OBTAIN A NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMIT. OWNER/DEVELOPERS ARE REQUIRED TO FILE A NOTICE OF INTENT (NOI) WITH THE STATE WATER RESOURCES CONTROL BOARD, PREPARE A STORM WATER POLLUTION PREVENTION PLAN (SWPPP) AND MONITORING PLAN FOR THE SITE.
23. AS DETERMINED BY THE COUNTY PUBLIC WORKS DIRECTOR/ROAD COMMISSIONER, THE DEVELOPER IS RESPONSIBLE, AS A MINIMUM, FOR ROAD IMPROVEMENTS TO CENTERLINE, AND MAY BE REQUIRED TO RECONSTRUCT EXISTING PAVEMENT, INCLUDING BASE, AND MATCHING OVERLAY REQUIRED TO MEET THE STRUCTURAL STANDARDS FOR THE CURRENT ASSIGNED TRAFFIC INDEX.
24. EXISTING STORM DRAIN PIPES/CULVERTS WHETHER TO BE CONNECTED TO, EXTENDED, ADJUSTED, DRAINED TO, OR JUST IN PROJECT VICINITY SHALL BE REPAIRED AND/OR CLEANED TO MAKE THEM FUNCTIONAL AND ACCEPTABLE AS DIRECTED BY THE PUBLIC WORKS DIRECTOR.
25. TRAFFIC CONTROL SHALL BE IN ACCORDANCE WITH THE CURRENT MANUAL OF UNIFORM TRAFFIC CONTROL DEVICES (MUTCD) OR AS DIRECTED BY THE IMPERIAL COUNTY TRAFFIC ENGINEER.
26. ANY EXISTING SURVEY MONUMENTS OR COUNTY RECOGNIZED BENCHMARKS SHALL BE PROTECTED BY THE CONTRACTOR. SHOULD ANY SUCH MONUMENTS OR BENCHMARKS BE REMOVED, DAMAGED, OBLITERATED OR ALTERED BY THE CONTRACTOR'S OPERATIONS, THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROPER RESETTling OF THE SAME AS PER THE SUBDIVISION MAP ACT, THE PROFESSIONAL LAND SURVEYORS ACT AND THE SATISFACTION OF THE COUNTY SURVEYOR/DIRECTOR OF PUBLIC WORKS. SUCH POINTS SHALL BE REFERENCED AND REPLACED WITH APPROPRIATE MONUMENTATION BY A LICENSED LAND SURVEYOR OR A REGISTERED CIVIL ENGINEER AUTHORIZED TO PRACTICE LAND SURVEYING. A CORNER RECORD OR RECORD OF SURVEY AS APPROPRIATE SHALL BE FILED BY THE LICENSED LAND SURVEYOR OR REGISTERED CIVIL ENGINEER.
27. DUST SHALL BE CONTROLLED BY THE CONTRACTOR IN ACCORDANCE WITH ALL IMPERIAL COUNTY AIR POLLUTION CONTROL DISTRICT (APCD) FUGITIVE DUST CONTROL RULES AND REGULATIONS AND SHALL COMPLY WITH THEIR PERMITTING REQUIREMENTS, IF APPLICABLE.

THE NOTES LISTED ABOVE ARE A MINIMUM LIST. THIS DOES NOT RELIEVE THE ENGINEER FROM COMPLETING ADDITIONAL NOTES THAT MAY BE REQUIRED FOR THE PROJECT.

GRADING PLAN GENERAL NOTES

1. APPROVAL OF THIS GRADING PLAN DOES NOT CONSTITUTE APPROVAL OF VERTICAL OR HORIZONTAL ALIGNMENT OF ANY PRIVATE ROAD SHOWN HEREON FOR COUNTY ROAD PURPOSES.
2. FINAL APPROVAL OF THESE GRADING PLANS SUBJECT TO FINAL APPROVAL OF THE ASSOCIATED IMPROVEMENT PLANS WHERE APPLICABLE. FINAL CURB GRADE ELEVATIONS MAY REQUIRE CHANGES IN THESE PLANS.
3. IMPORT MATERIAL SHALL BE OBTAINED FROM A LEGAL SITE.
4. THE CONTRACTOR SHALL BE RESPONSIBLE TO SECURE AN ENCROACHMENT PERMIT FROM THE COUNTY OF IMPERIAL DEPARTMENT OF PUBLIC WORKS FOR ANY EXCAVATION OR CONSTRUCTION WITHIN COUNTY ROAD RIGHT-OF-WAY. FOR INSPECTIONS, 48 HOUR MINIMUM NOTICE IS REQUIRED, (442) 265-1818. ADDITIONALLY, UNDERGROUND SERVICE ALERT (USA) MUST BE CALLED TWO WORKING DAYS BEFORE THE CONTRACTOR MAY EXCAVATE. THEIR CONTACT NUMBER IS 811. ALL WORK AND MATERIALS ARE SUBJECT TO THE INSPECTION AND APPROVAL OF THE COUNTY DEPARTMENT OF PUBLIC WORKS.
5. THE CONTRACTOR SHALL VERIFY THE EXISTENCE AND LOCATION OF ALL UTILITIES BEFORE COMMENCING WORK. NOTICE OF PROPOSED WORK SHALL BE GIVEN TO THE FOLLOWING AGENCIES:

GAS:	TELEPHONE NO.	(800) 303-7756
ID POWER:	TELEPHONE NO.	(800) 303-7756
ID WATER:	TELEPHONE NO.	(760) 339-9380
AT&T TELEPHONE:	TELEPHONE NO.	(337) 337-3314
CATV:	TELEPHONE NO.	(760) 670-8969
SPECTRUM COMM.	TELEPHONE NO.	(760) 670-8969
6. A SOILS REPORT MAY BE REQUIRED PRIOR TO THE ISSUANCE OF A BUILDING PERMIT AND/OR GRADING PLAN APPROVAL.

7. APPROVAL OF THESE PLANS BY THE DIRECTOR OF PUBLIC WORKS DOES NOT AUTHORIZE ANY WORK OR GRADING TO BE PERFORMED UNTIL THE PROPERTY OWNER'S PERMISSION HAS BEEN OBTAINED AND A VALID GRADING PERMIT HAS BEEN ISSUED BY THE COUNTY PLANNING DEPARTMENT.
8. THE DIRECTOR OF PUBLIC WORKS' APPROVAL OF THESE PLANS DOES NOT CONSTITUTE COUNTY BUILDING OFFICIAL APPROVAL OF ANY FOUNDATION FOR STRUCTURES TO BE PLACED ON THE ITEMS COVERED BY THESE PLANS, INCLUDING ANY ON-SITE OR PERIMETER SCREEN OR RETAINING WALLS.
9. ALL MAJOR SLOPES SHALL BE ROUNDED INTO EXISTING TERRAIN TO PRODUCE A CONTOURED TRANSITION FROM CUT OR FILL FACES TO NATURAL GROUND AND ABUTTING CUT OR FILL SURFACES.
10. NOTWITHSTANDING THE MINIMUM STANDARDS SET FORTH IN THE GRADING ORDINANCE AND NOTWITHSTANDING THE APPROVAL OF THESE GRADING PLANS, THE PERMITTEE IS RESPONSIBLE FOR THE PREVENTION OF DAMAGE TO ADJACENT PROPERTY. NO PERSON SHALL EXCAVATE ON LAND SO CLOSE TO THE PROPERTY LINE AS TO ENDANGER ANY SUCH PROPERTY FROM SETTling, CRACKING, EROSION, SILTING, SCOUR OR OTHER DAMAGE, WHICH MIGHT RESULT FROM THE GRADING DESCRIBED ON THE PLAN. THE COUNTY WILL HOLD THE CONTRACTOR RESPONSIBLE FOR CORRECTION OF NON-DEDICATED IMPROVEMENTS WHICH DAMAGE ADJACENT PROPERTY.
11. SPECIAL CONDITION: IF ANY ARCHEOLOGICAL RESOURCES ARE DISCOVERED ON THE SITE OF THIS GRADING OPERATION, SUCH OPERATION WILL CEASE IMMEDIATELY AND THE CONTRACTOR WILL NOTIFY THE DIRECTOR OF THE PLANNING DEPARTMENT AND THE DISCOVERY, GRADING OPERATION WILL NOT RECOMMENCE UNTIL THE CONTRACTOR HAS RECEIVED WRITTEN AUTHORITY FROM THE DIRECTOR OF PLANNING TO DO SO.
12. THE CONSTRUCTION OF ONE PGG STANDARD DRIVEWAY PER LOT LOCATION TO BE DETERMINED IN THE FIELD BY THE ENGINEER OF WORK AND APPROVED BY COUNTY PUBLIC WORKS INSPECTOR. PGG SURFACING OF DRIVEWAY TO EXTEND FROM CURB TO PROPERTY LINE.
13. ALL GRADING SHALL CONFORM TO THE UNIFORM BUILDING CODE APPENDIX CHAP. 33, AS AMENDED BY TITLE 9 LAND USE ORDINANCE.
14. ALL PROPERTY CORNERS SHALL BE CLEARLY DELINEATED IN THE FIELD PRIOR TO THE COMMENCEMENT OF ANY CONSTRUCTION AND/OR GRADING.
15. DURING ROUGH GRADING OPERATIONS AND PRIOR TO THE CONSTRUCTION OF ANY PERMANENT DRAINAGE STRUCTURES, TEMPORARY DRAINAGE CONTROL SHALL BE PROVIDED TO PREVENT PONDING WATER AND DAMAGE TO CONTIGUOUS PROPERTIES.
16. DUST SHALL BE CONTROLLED IN ACCORDANCE WITH THE APPROVED PM10 PLAN. APPROVAL SHALL BE BY IMPERIAL COUNTY AIR POLLUTION CONTROL DISTRICT.
17. NO FILL SHALL BE PLACED ON EXISTING GROUND UNTIL THE EXISTING GROUND HAS BEEN CLEARED OF WEEDS, DEBRIS, TOPSOIL AND OTHER DELETERIOUS MATERIAL.
18. THE MAXIMUM ALLOWABLE CUT AND FILL SLOPES ARE 2:1, UNLESS A SLOPE STABILITY ANALYSIS AUTHORIZES A STEEPER SLOPE AND HAS BEEN APPROVED.
19. A 5' WIDE BY 1' HIGH BERM, OR EQUIVALENT, SHALL BE CONSTRUCTED ALONG THE TOP OF ALL FILL SLOPES OVER 5' IN VERTICAL HEIGHT. ALL SLOPES LESS THAN OR EQUAL TO 5' SHALL HAVE A BERM TO PREVENT DRAINAGE FROM ERODING SAME.
20. A BROW DITCH DESIGNED TO HANDLE THE FLOWS (Q) FROM A 100-YR. STORM EVENT SHALL BE CONSTRUCTED ALONG THE TOP OF ALL CUT SLOPES.
21. NO OBSTRUCTION OF FLOOD PLAINS OR NATURAL WATER COURSES WILL BE PERMITTED.
22. ALL EXISTING DRAINAGE COURSES ON THE PROJECT SITE MUST CONTINUE TO FUNCTION DURING STORM CONDITIONS. PROTECTIVE MEASURES AND TEMPORARY DRAINAGE PROVISIONS MUST BE USED TO PROTECT CONTIGUOUS PROPERTIES DURING GRADING OPERATIONS. IT IS THE CONTRACTOR'S RESPONSIBILITY TO CONTROL DRAINAGE AWAY FROM BUILDINGS DURING CONSTRUCTION.
23. THE FINISHED GRADE SHALL BE SLOPED AWAY FROM ALL EXTERIOR BUILDING WALLS AT NOT LESS THAN 4% (1/2" PER FOOT) FOR A MINIMUM OF 3 FEET, UNLESS A SOIL REPORT PROVIDES ALTERNATE RECOMMENDATIONS.
24. A SUITABLY QUALIFIED AND REGISTERED PROFESSIONAL SHALL SUBMIT A WRITTEN CERTIFICATION TO THE PUBLIC WORKS DEPARTMENT THAT THE FINAL GRADING HAS BEEN COMPLETED IN ACCORDANCE WITH THE APPROVED PLANS FOR ALL GRADING DESIGNATED AS "ENGINEERED GRADING". AS-BUILT PLANS SHALL BE PROVIDED PRIOR TO FINAL ACCEPTANCE.
25. THE CONTRACTOR SHALL NOTIFY THE PUBLIC WORKS DEPARTMENT AT LEAST 48 HOURS IN ADVANCE OF REQUESTING A FINISH LOT GRADE AND DRAINAGE INSPECTION. THIS INSPECTION MUST BE APPROVED PRIOR TO THE BUILDING PERMIT FINAL INSPECTION BY PUBLIC WORKS FOR EACH LOT.
26. THE CONTRACTOR SHALL NOTIFY "UNDERGROUND SERVICE ALERT" AT 811 A MINIMUM OF TWO DAYS PRIOR TO THE COMMENCEMENT OF ANY DIGGING OR EXCAVATION.

LEGEND

ITEM NO.	ITEM	LEGEND
1.	EDGE OF EXISTING PAVEMENT	---
2.	CENTERLINE/BASELINE	---
3.	FENCE	---
4.	POWER POLE OR TELEPHONE POLE	---
5.	SIGN	---
6.	EXISTING TREES	---
7.	EXISTING SYPHON	---
8.	IMPERIAL COUNTY RIGHT OF WAY LINE	---
9.	1-INCH GRIND OF EXISTING A.C. PAVEMENT, CLEAN AND CRACK SEAL EXISTING CRACKS AND PLACE 1-INCHES OF A.C. PAVEMENT OVER LEVELING COURSE GEOSYNTHETIC PAVEMENT INTERLAYER.	---
10.	SHOULDER BACKING	---
11.	FIBER ROLLS	---

BASIS OF BEARINGS

PROJECT BASIS OF BEARINGS:
N/A

BENCHMARK

BENCHMARK DESCRIPTION:

N/A


MONUMENTS DESCRIPTIONS:

N/A

ABBREVIATIONS

A.C.	ASPHALT CONCRETE	MH	MAN HOLE
APP.L	APPROXIMATE LOCATION	N.T.S.	NOT TO SCALE
B.C.	BEGINNING OF CURVE RADIUS	OHE	OVERHEAD ELECTRICAL LINE
BM	BENCHMARK	%	PERCENT
C	CENTERLINE	P.P.	POWER POLE
CP	CONTROL POINT	P.C.R.	POINT OF CURB RETURN
DWY	DRIVEWAY	PRW	PRESCRIPTIVE RIGHT-OF-WAY
Δ	DELTA	R	RADIUS
E.P.	EDGE OF PAVEMENT	R & R	REMOVE AND RELOCATE
E.L.	ELEVATION	ROW	RIGHT-OF-WAY
E.C.	END OF CURVE RADIUS	SD	STORM DRAIN
E	FLOWLINE	TOP	TOP OF PIPE
FF	FINISH FLOOR	TC	TOP OF CURB
FS	FINISH SURFACE	T.P.	TOP OF PAVEMENT

VICINITY MAP



SHEET INDEX

1. TITLE SHEET
2. SHEET INDEX
3. EXISTING SITE PLAN AND IMPROVEMENT PLAN FROM STA 54+94 TO STA 69+50
4. EXISTING SITE PLAN AND IMPROVEMENT PLAN FROM STA 69+50 TO STA 84+50
5. EXISTING SITE PLAN AND IMPROVEMENT PLAN FROM STA 84+50 TO STA 99+50
6. EXISTING SITE PLAN AND IMPROVEMENT PLAN FROM STA 99+50 TO STA 108+00
7. CROSS SECTIONS DETAILS
8. CROSS SECTIONS DETAILS
9. CROSS SECTIONS DETAILS AND DETAIL SHEET
10. DETAIL SHEET
11. EROSION CONTROL PLAN
12. EROSION CONTROL DETAILS

THE CONTRACTOR SHALL POSSESS A CALIFORNIA CONTRACTOR'S LICENSE, CLASS A, AT THE TIME THIS CONTRACT IS AWARDED.



REVISION	DATE	COMMENTS



PREPARED UNDER THE DIRECT SUPERVISION OF:

Atondo V.
VERONICA ATONDO, P.E.
DEPUTY DIRECTOR OF PUBLIC WORKS - ENGINEERING
9/22/25
DATE

61484
R.C.E. No.
08/30/27
REG. EXP.



COUNTY OF IMPERIAL PUBLIC WORKS DEPARTMENT
APPROVED FOR CONSTRUCTION BY:

John Gay
JOHN A. GAY, P.E.
DIRECTOR OF PUBLIC WORKS
9/22/25
DATE

62028
R.C.E. No.
09/30/27
REG. EXP.



PUBLIC WORKS DEPARTMENT
COUNTY OF IMPERIAL
EL CENTRO, CALIFORNIA

DATE	09/18/2025
DRAWN	AG
SCALE	N/A
CHECKED	V.A./A.G.


PROJECT TITLE

BOWKER RD. REHABILITATION
FROM JASPER RD. TO FAWCETT RD.
IN IMPERIAL COUNTY;
STATE AID PROJECT No. LPPSB1L- 5958(134)
COUNTY PROJECT No. 7206

TITLE SHEET

REFERENCE
7206


R-1015
SHEET 1 OF 12



REVISION	DATE	COMMENTS		PREPARED UNDER THE DIRECT SUPERVISION OF:		COUNTY OF IMPERIAL PUBLIC WORKS DEPARTMENT APPROVED FOR CONSTRUCTION BY:		DATE 09/18/2025	PROJECT TITLE	SHEET INDEX																									
				61484 VERONICA ATONDO, P.E. DEPUTY DIRECTOR OF PUBLIC WORKS - ENGINEERING 9/22/25 DATE		62028 JOHN A. GAY, P.E. DIRECTOR OF PUBLIC WORKS 9/22/25 DATE		PUBLIC WORKS DEPARTMENT COUNTY OF IMPERIAL EL CENTRO, CALIFORNIA			DRAWN AG SCALE CHECKED V.A./A.G.																								


BOWKER RD. REHABILITATION FROM JASPER RD. TO FAWCETT RD. IN IMPERIAL COUNTY; STATE AID PROJECT No. LPPSB1L- 5958(134) COUNTY PROJECT No. 7206	
REFERENCE 7206	R-1015 SHEET 2 OF 12

BEGINNING OF CONSTRUCTION
STATION 54+94



MATCHLINE BELOW LEFT STATION 62+00

MATCHLINE ABOVE RIGHT STATION 62+00



MATCHLINE SEE SHEET 4
ABOVE LEFT AT STATION 69+50

LEGEND

- CONTRACTOR SHALL COLD PLANE (GRIND) 1-INCH OF THE EXISTING A.C. PAVEMENT. CLEAN AND CRACK SEAL EXISTING CRACKS, AND PLACE 2-INCHES OF A.C. PAVEMENT OVER A GEOSYNTHETIC PAVEMENT INTERLAYER OVER AN 1-INCH LEVELING COURSE.
- ASPHALT CONCRETE TO BE HEADER CUT TO ACCOMMODATE NEW SECTION OR AS DIRECTED BY THE ENGINEER. SEE DETAIL X ON SHEET XX.
- INSTALL 4-FOOT WIDE CLASS 2 SHOULDER.

EXISTING KEYNOTES

- 1 EXISTING AC PAVEMENT TO REMAIN.
2 EXISTING STOP SIGN TO REMAIN.
3 EXISTING STOP/STREET SIGN TO REMAIN.
4 EXISTING HIGH VOLTAGE TRANSMISSION TOWER TO REMAIN.
5 EXISTING POWER POLE TO REMAIN.
6 EXISTING IID PIPELINE TO REMAIN.
7 EXISTING PRIVATE CONCRETE IRRIGATION DITCH TO REMAIN.
8 EXISTING ACCESS ROAD TO REMAIN.
9 EXISTING NATIVE SURFACE TO REMAIN.
10 EXISTING UNDERGROUND PRIVATE IRRIGATION SERVICE PIPELINE TO REMAIN.
11 EXISTING IID CANAL TO REMAIN.
12 EXISTING STOP LEGEND TO REMAIN.
13 EXISTING IRRIGATION GATE TO REMAIN.
14 EXISTING STRIPING TO REMAIN.
15 EXISTING STAND PIPE TO REMAIN.

DEMOLITION KEYNOTES

- 1 CONTRACTOR SHALL GRIND THE EXISTING A.C. PAVEMENT FOR A MAXIMUM 1-INCH IN DEPTH. THE CONTRACTOR SHALL CRACK SEAL THE EXISTING A.C. PAVEMENT AFTER GRINDING PROCESS HAS BEEN COMPLETED. SEE SECTION A-A THROUGH G-G ON SHEET 6-9.
- 2 CONTRACTOR SHALL GRIND (HEADER CUT) THE EXISTING A.C. PAVEMENT TO ACCOMMODATE NEW SECTION OR AS DIRECTED BY THE ENGINEER. SEE DETAIL A ON SHEET 9.

CONSTRUCTION KEYNOTES

- 1 CONTRACTOR SHALL CLEAN AND SEAL ALL CRACKS WIDER THAN 1/4-INCH WITH A RUBBERIZED CRACK FILLER MATERIAL. AFTER THE GRINDING AND CRACK SEALING PROCESS HAS BEEN COMPLETED THE CONTRACTOR SHALL INSTALL 2-INCHES OF A.C. PAVEMENT OVER A GEOSYNTHETIC PAVEMENT INTERLAYER OVER A 1-INCH LEVELING COURSE. SEE SECTION A-A THROUGH G-G ON SHEET 6-9.
- 2 CONTRACTOR TO INSTALL A.C. PAVEMENT AT "HEADER CUT" JOINT TO ACCOMMODATE NEW SECTION OR AS DIRECTED BY THE ENGINEER. SEE DETAIL A ON SHEET 9.
- 3 CONTRACTOR TO PLACE CLASS 2 BASE MATERIAL FLUSH WITH NEW A.C. PAVEMENT FOR A HORIZONTAL DISTANCE OF 4-FOOT OR AS ILLUSTRATED ON IMPROVEMENT PLANS BY THE HATCH AREA TO DAYLIGHT. COMPACT CLASS 2 BASE MATERIAL TO 95 PERCENT OF MAXIMUM DENSITY PER ASTM D-1557. APPLY LIGHT MIST OF WATER TO THE CLASS 2 SURFACE AFTER FINAL GRADING IS SATISFACTORILY COMPLETED. SEE SECTION DETAIL A-A THROUGH G-G ON SHEET 6-9.

STRIPING KEYNOTES

- 1 CONTRACTOR TO PAINT 6-INCH SOLID WHITE LINE.
- 2 CONTRACTOR TO PAINT A 6-INCH DASH YELLOW LANELINE STRIPE PER CALTRANS STANDARD PLAN A20A, DETAIL 5. SEE DETAIL B ON SHEET 10.
- 3 CONTRACTOR TO PAINT A 6-INCH DOUBLE YELLOW "NO PASSING ZONE" LANE LINE STRIPE PER CALTRANS STANDARD PLAN RSP A20B, DETAIL 34A. SEE DETAIL C ON SHEET 10.

REVISION	DATE	COMMENTS



PREPARED UNDER THE DIRECT SUPERVISION OF:

Atondo V.
VERONICA ATONDO, P.E.
DEPUTY DIRECTOR OF PUBLIC
WORKS - ENGINEERING
9/22/25
DATE

61484
R.C.E. No.
06/30/27
REG. EXP.



COUNTY OF IMPERIAL PUBLIC WORKS DEPARTMENT
APPROVED FOR CONSTRUCTION BY:

John A. Gay
JOHN A. GAY, P.E.
DIRECTOR OF PUBLIC WORKS
9/22/25
DATE

62028
R.C.E. No.
09/30/27
REG. EXP.



PUBLIC WORKS DEPARTMENT
COUNTY OF IMPERIAL
EL CENTRO, CALIFORNIA

DATE
09/18/2025
DRAWN
AG
SCALE
1" = 30'
CHECKED
V.A.J.A.G.


PROJECT TITLE

BOWKER RD. REHABILITATION
FROM JASPER RD. TO FAWCETT RD.
IN IMPERIAL COUNTY;
STATE AID PROJECT No. LPPSB1L- 5958(134)
COUNTY PROJECT No. 7206


EXISTING SITE PLAN AND IMPROVEMENT PLAN
FROM STATION 54+94 TO STA 69+50

REFERENCE
7206

R-1015
SHEET 3 OF 12




MATCHLINE SEE SHEET 3
BELOW LEFT AT STATION 69+50



MATCHLINE BELOW LEFT STATION 77+00

MATCHLINE ABOVE RIGHT STATION 77+00



MATCHLINE SEE SHEET 5 ABOVE
RIGHT STATION 84+50

LEGEND

CONTRACTOR SHALL COLD PLANE (GRIND) 1-INCH OF THE EXISTING A.C. PAVEMENT. CLEAN AND CRACK SEAL EXISTING CRACKS, AND PLACE 2-INCHES OF A.C. PAVEMENT OVER A GEOSYNTHETIC PAVEMENT INTERLAYER OVER AN 1-INCH LEVELING COURSE.

ASPHALT CONCRETE TO BE HEADER CUT TO ACCOMMODATE NEW SECTION OR AS DIRECTED BY THE ENGINEER. SEE DETAIL X ON SHEET XX

INSTALL 4-FOOT WIDE CLASS 2 SHOULDER.

EXISTING KEYNOTES

- EXISTING AC PAVEMENT TO REMAIN.
- EXISTING STOP SIGN TO REMAIN.
- EXISTING STOP/STREET SIGN TO REMAIN.
- EXISTING HIGH VOLTAGE TRANSMISSION TOWER TO REMAIN.
- EXISTING POWER POLE TO REMAIN.
- EXISTING IID PIPELINE TO REMAIN.
- EXISTING PRIVATE CONCRETE IRRIGATION DITCH TO REMAIN.
- EXISTING ACCESS ROAD TO REMAIN.
- EXISTING NATIVE SURFACE TO REMAIN.
- EXISTING UNDERGROUND PRIVATE IRRIGATION SERVICE PIPELINE TO REMAIN.
- EXISTING IID CANAL TO REMAIN.
- EXISTING STOP LEGEND TO REMAIN.
- EXISTING IRRIGATION GATE TO REMAIN.
- EXISTING STRIPING TO REMAIN.
- EXISTING STAND PIPE TO REMAIN.

DEMOLITION KEYNOTES

- CONTRACTOR SHALL GRIND THE EXISTING A.C. PAVEMENT FOR A MAXIMUM 1-INCH IN DEPTH. THE CONTRACTOR SHALL CRACK SEAL THE EXISTING A.C. PAVEMENT AFTER GRINDING PROCESS HAS BEEN COMPLETED. SEE SECTION A-A THROUGH G-G ON SHEET 6-9.
- CONTRACTOR SHALL GRIND (HEADER CUT) THE EXISTING A.C. PAVEMENT TO ACCOMMODATE NEW SECTION OR AS DIRECTED BY THE ENGINEER. SEE DETAIL A ON SHEET 9.

CONSTRUCTION KEYNOTES

- CONTRACTOR SHALL CLEAN AND SEAL ALL CRACKS WIDER THAN 1/4-INCH WITH A RUBBERIZED CRACK FILLER MATERIAL. AFTER THE GRINDING AND CRACK SEALING PROCESS HAS BEEN COMPLETED THE CONTRACTOR SHALL INSTALL 2-INCHES OF A.C. PAVEMENT OVER A GEOSYNTHETIC PAVEMENT INTERLAYER OVER A 1-INCH LEVELING COURSE. SEE SECTION A-A THROUGH G-G ON SHEET 6-9.
- CONTRACTOR TO INSTALL A.C. PAVEMENT AT "HEADER CUT" JOINT TO ACCOMMODATE NEW SECTION OR AS DIRECTED BY THE ENGINEER. SEE DETAIL A ON SHEET 9.
- CONTRACTOR TO PLACE CLASS 2 BASE MATERIAL FLUSH WITH NEW A.C. PAVEMENT FOR A HORIZONTAL DISTANCE OF 4-FOOT OR AS ILLUSTRATED ON IMPROVEMENT PLANS BY THE MATCH AREA TO DAYLIGHT. COMPACT CLASS 2 BASE MATERIAL TO 95 PERCENT OF MAXIMUM DENSITY PER ASTM D-1557. APPLY LIGHT MIST OF WATER TO THE CLASS 2 SURFACE AFTER FINAL GRADING IS SATISFACTORILY COMPLETED. SEE SECTION DETAIL A-A THROUGH G-G ON SHEET 6-9.

STRIPING KEYNOTES

- CONTRACTOR TO PAINT 6-INCH SOLID WHITE LINE.
- CONTRACTOR TO PAINT A 6-INCH DASH YELLOW LANELINE STRIPE PER CALTRANS STANDARD PLAN A20A, DETAIL 5. SEE DETAIL B ON SHEET 10.
- CONTRACTOR TO PAINT A 6-INCH DOUBLE YELLOW "NO PASSING ZONE" LANE LINE STRIPE PER CALTRANS STANDARD PLAN RSP A20B, DETAIL 34A. SEE DETAIL C ON SHEET 10.

REVISION	DATE	COMMENTS



PREPARED UNDER THE DIRECT SUPERVISION OF:

VERONICA ATONDO, P.E.
DEPUTY DIRECTOR OF PUBLIC
WORKS - ENGINEERING
DATE 9/22/25

61484
R.C.E. No.
06/30/27
REG. EXP.



COUNTY OF IMPERIAL PUBLIC WORKS DEPARTMENT
APPROVED FOR CONSTRUCTION BY:

JOHN A. GAY, P.E.
DIRECTOR OF PUBLIC WORKS
DATE 9/22/25

62028
R.C.E. No.
09/30/27
REG. EXP.



PUBLIC WORKS DEPARTMENT
COUNTY OF IMPERIAL
EL CENTRO, CALIFORNIA

DATE 09/18/2025
DRAWN AG
SCALE 1" = 30'
CHECKED V.A.J.A.G.


PROJECT TITLE

BOWKER RD. REHABILITATION
FROM JASPER RD. TO FAWCETT RD.
IN IMPERIAL COUNTY;
STATE AID PROJECT No. LPPSB1L- 5958(134)
COUNTY PROJECT No. 7206

EXISTING SITE PLAN AND IMPROVEMENT PLAN
FROM STA 69+50 TO STA 84+50

REFERENCE
7206

R-1015
SHEET 4 OF 12



LEGEND

- CONTRACTOR SHALL COLD PLANE (GRIND) 1-INCH OF THE EXISTING A.C. PAVEMENT, CLEAN AND CRACK SEAL EXISTING CRACKS, AND PLACE 2-INCHES OF A.C. PAVEMENT OVER A GEOSYNTHETIC PAVEMENT INTERLAYER OVER AN 1-INCH LEVELING COURSE.
- ASPHALT CONCRETE TO BE HEADER CUT TO ACCOMMODATE NEW SECTION OR AS DIRECTED BY THE ENGINEER. SEE DETAIL X ON SHEET XX.
- INSTALL 4-FOOT WIDE CLASS 2 SHOULDER.

EXISTING KEYNOTES

- EXISTING AC PAVEMENT TO REMAIN.
- EXISTING STOP SIGN TO REMAIN.
- EXISTING STOP/STREET SIGN TO REMAIN.
- EXISTING HIGH VOLTAGE TRANSMISSION TOWER TO REMAIN.
- EXISTING POWER POLE TO REMAIN.
- EXISTING IID PIPELINE TO REMAIN.
- EXISTING PRIVATE CONCRETE IRRIGATION DITCH TO REMAIN.
- EXISTING ACCESS ROAD TO REMAIN.
- EXISTING NATIVE SURFACE TO REMAIN.
- EXISTING UNDERGROUND PRIVATE IRRIGATION SERVICE PIPELINE TO REMAIN.
- EXISTING IID CANAL TO REMAIN.
- EXISTING STOP LEGEND TO REMAIN.
- EXISTING IRRIGATION GATE TO REMAIN.
- EXISTING STRIPING TO REMAIN.
- EXISTING STAND PIPE TO REMAIN.

DEMOLITION KEYNOTES

- CONTRACTOR SHALL GRIND THE EXISTING A.C. PAVEMENT FOR A MAXIMUM 1-INCH IN DEPTH. THE CONTRACTOR SHALL CRACK SEAL THE EXISTING A.C. PAVEMENT AFTER GRINDING PROCESS HAS BEEN COMPLETED. SEE SECTION A-A THROUGH G-G ON SHEET 6-9.
- CONTRACTOR SHALL GRIND (HEADER CUT) THE EXISTING A.C. PAVEMENT TO ACCOMMODATE NEW SECTION OR AS DIRECTED BY THE ENGINEER. SEE DETAIL A ON SHEET 9.


CONSTRUCTION KEYNOTES

- CONTRACTOR SHALL CLEAN AND SEAL ALL CRACKS WIDER THAN 1/4-INCH WITH A RUBBERIZED CRACK FILLER MATERIAL. AFTER THE GRINDING AND CRACK SEALING PROCESS HAS BEEN COMPLETED THE CONTRACTOR SHALL INSTALL 2-INCHES OF A.C. PAVEMENT OVER A GEOSYNTHETIC PAVEMENT INTERLAYER OVER A 1-INCH LEVELING COURSE. SEE SECTION A-A THROUGH G-G ON SHEET 6-9.
- CONTRACTOR TO INSTALL A.C. PAVEMENT AT "HEADER CUT" JOINT TO ACCOMMODATE NEW SECTION OR AS DIRECTED BY THE ENGINEER. SEE DETAIL A ON SHEET 9.
- CONTRACTOR TO PLACE CLASS 2 BASE MATERIAL FLUSH WITH NEW A.C. PAVEMENT FOR A HORIZONTAL DISTANCE OF 4-FOOT OR AS ILLUSTRATED ON IMPROVEMENT PLANS BY THE MATCH AREA TO DAYLIGHT. COMPACT CLASS 2 BASE MATERIAL TO 95 PERCENT OF MAXIMUM DENSITY PER ASTM D-1557. APPLY LIGHT MIST OF WATER TO THE CLASS 2 SURFACE AFTER FINAL GRADING IS SATISFACTORILY COMPLETED. SEE SECTION DETAIL A-A THROUGH G-G ON SHEET 6-9.

STRIPING KEYNOTES

- CONTRACTOR TO PAINT 6-INCH SOLID WHITE LINE.
- CONTRACTOR TO PAINT A 6-INCH DASH YELLOW LANELINE STRIPE PER CALTRANS STANDARD PLAN A20A, DETAIL 5. SEE DETAIL B ON SHEET 10.
- CONTRACTOR TO PAINT A 6-INCH DOUBLE YELLOW "NO PASSING ZONE" LANE LINE STRIPE PER CALTRANS STANDARD PLAN RSP A20B, DETAIL 34A. SEE DETAIL C ON SHEET 10.

REVISION	DATE	COMMENTS



PREPARED UNDER THE DIRECT SUPERVISION OF:
Atondo V.
VERONICA ATONDO, P.E.
DEPUTY DIRECTOR OF PUBLIC
WORKS - ENGINEERING
DATE 9/22/25
61484
R.C.E. No.
06/30/27
REG. EXP.



COUNTY OF IMPERIAL PUBLIC WORKS DEPARTMENT
APPROVED FOR CONSTRUCTION BY:
John A. Gay
JOHN A. GAY, P.E.
DIRECTOR OF PUBLIC WORKS
DATE 9/22/25
62028
R.C.E. No.
09/30/27
REG. EXP.




DATE 09/18/2025
DRAWN AG
SCALE 1" = 30'
CHECKED V.A./A.G.

PROJECT TITLE

BOWKER RD. REHABILITATION
FROM JASPER RD. TO FAWCETT RD.
IN IMPERIAL COUNTY;
STATE AID PROJECT No. LPPSB1L-5958(134)
COUNTY PROJECT No. 7206

EXISTING SITE PLAN AND IMPROVEMENT PLAN
FROM STA 84+50 TO STA 99+50
REFERENCE 7206
R-1015
SHEET 5 OF 12

MATCHLINE SEE SHEET 5
BELOW LEFT AT STATION 99+50



END OF CONSTRUCTION
STATION 108+00

LEGEND

- CONTRACTOR SHALL COLD PLANE (GRIND) 1-INCH OF THE EXISTING A.C. PAVEMENT, CLEAN AND CRACK SEAL EXISTING CRACKS, AND PLACE 2-INCHES OF A.C. PAVEMENT OVER A GEOSYNTHETIC PAVEMENT INTERLAYER OVER AN 1-INCH LEVELING COURSE.
- ASPHALT CONCRETE TO BE HEADER CUT TO ACCOMMODATE NEW SECTION OR AS DIRECTED BY THE ENGINEER. SEE DETAIL X ON SHEET XX
- INSTALL 4-FOOT WIDE CLASS 2 SHOULDER.

EXISTING KEYNOTES

- EXISTING AC PAVEMENT TO REMAIN.
- EXISTING STOP SIGN TO REMAIN.
- EXISTING STOP/STREET SIGN TO REMAIN.
- EXISTING HIGH VOLTAGE TRANSMISSION TOWER TO REMAIN.
- EXISTING POWER POLE TO REMAIN.
- EXISTING IID PIPELINE TO REMAIN.
- EXISTING PRIVATE CONCRETE IRRIGATION DITCH TO REMAIN.
- EXISTING ACCESS ROAD TO REMAIN.
- EXISTING NATIVE SURFACE TO REMAIN.
- EXISTING UNDERGROUND PRIVATE IRRIGATION SERVICE PIPELINE TO REMAIN.
- EXISTING IID CANAL TO REMAIN.
- EXISTING STOP LEGEND TO REMAIN.
- EXISTING IRRIGATION GATE TO REMAIN.
- EXISTING STRIPING TO REMAIN.
- EXISTING STAND PIPE TO REMAIN.

DEMOLITION KEYNOTES


- CONTRACTOR SHALL GRIND THE EXISTING A.C. PAVEMENT FOR A MAXIMUM 1-INCH IN DEPTH. THE CONTRACTOR SHALL CRACK SEAL THE EXISTING A.C. PAVEMENT AFTER GRINDING PROCESS HAS BEEN COMPLETED. SEE SECTION A-A THROUGH G-G ON SHEET 6-9.
- CONTRACTOR SHALL GRIND (HEADER CUT) THE EXISTING A.C. PAVEMENT TO ACCOMMODATE NEW SECTION OR AS DIRECTED BY THE ENGINEER. SEE DETAIL A ON SHEET 9.

CONSTRUCTION KEYNOTES

- CONTRACTOR SHALL CLEAN AND SEAL ALL CRACKS WIDER THAN 1/4-INCH WITH A RUBBERIZED CRACK FILLER MATERIAL. AFTER THE GRINDING AND CRACK SEALING PROCESS HAS BEEN COMPLETED THE CONTRACTOR SHALL INSTALL 2-INCHES OF A.C. PAVEMENT OVER A GEOSYNTHETIC PAVEMENT INTERLAYER OVER A 1-INCH LEVELING COURSE. SEE SECTION A-A THROUGH G-G ON SHEET 6-9.
- CONTRACTOR TO INSTALL A.C. PAVEMENT AT "HEADER CUT" JOINT TO ACCOMMODATE NEW SECTION OR AS DIRECTED BY THE ENGINEER. SEE DETAIL A ON SHEET 9.
- CONTRACTOR TO PLACE CLASS 2 BASE MATERIAL FLUSH WITH NEW A.C. PAVEMENT FOR A HORIZONTAL DISTANCE OF 4-FOOT OR AS ILLUSTRATED ON IMPROVEMENT PLANS BY THE HATCH AREA TO DAYLIGHT. COMPACT CLASS 2 BASE MATERIAL TO 95 PERCENT OF MAXIMUM DENSITY PER ASTM D-1557. APPLY LIGHT MIST OF WATER TO THE CLASS 2 SURFACE AFTER FINAL GRADING IS SATISFACTORILY COMPLETED. SEE SECTION DETAIL A-A THROUGH G-G ON SHEET 6-9.

STRIPING KEYNOTES

- CONTRACTOR TO PAINT 6-INCH SOLID WHITE LINE.
- CONTRACTOR TO PAINT A 6-INCH DASH YELLOW LANE LINE STRIPE PER CALTRANS STANDARD PLAN A20A, DETAIL 5. SEE DETAIL B ON SHEET 10.
- CONTRACTOR TO PAINT A 6-INCH DOUBLE YELLOW "NO PASSING ZONE" LANE LINE STRIPE PER CALTRANS STANDARD PLAN RSP A20B, DETAIL 34A. SEE DETAIL C ON SHEET 10.



REVISION	DATE	COMMENTS



PREPARED UNDER THE DIRECT SUPERVISION OF:

Atondo V.
VERONICA ATONDO, P.E.
DEPUTY DIRECTOR OF PUBLIC
WORKS - ENGINEERING
9/22/25
DATE


61484
R.C.E. No.
06/30/27
REG. EXP.



COUNTY OF IMPERIAL PUBLIC WORKS DEPARTMENT
APPROVED FOR CONSTRUCTION BY:

John A. Gay
JOHN A. GAY, P.E.
DIRECTOR OF PUBLIC WORKS
9/22/25
DATE

62028
R.C.E. No.
09/30/27
REG. EXP.




DATE
09/18/2025
DRAWN
AG
SCALE
1" = 30'
CHECKED
V.A./A.G.

PROJECT TITLE

BOWKER RD. REHABILITATION
FROM JASPER RD. TO FAWCETT RD.
IN IMPERIAL COUNTY;
STATE AID PROJECT No. LPPSB1L- 5958(134)
COUNTY PROJECT No. 7206


EXISTING SITE PLAN AND IMPROVEMENT PLAN FROM STA 99+50 TO STA 108+00	
REFERENCE 7206	R-1015
SHEET 6	OF 12



CROSS SECTION DETAIL

A-A
3/7


NTS



CROSS SECTION DETAIL

B-B
3/7

NTS



CROSS SECTION DETAIL

C-C
4/7

NTS

REVISION	DATE	COMMENTS



PREPARED UNDER THE DIRECT SUPERVISION OF:
Veronica Atondo
VERONICA ATONDO, P.E.
DEPUTY DIRECTOR OF PUBLIC
WORKS - ENGINEERING
9/22/25
DATE

61484
R.C.E. No.
06/30/27
REG. EXP.



COUNTY OF IMPERIAL PUBLIC WORKS DEPARTMENT
APPROVED FOR CONSTRUCTION BY:
John A. Gay
JOHN A. GAY, P.E.
DIRECTOR OF PUBLIC WORKS
9/22/25
DATE


62028
R.C.E. No.
09/30/27
REG. EXP.




DATE
09/18/2025
DRAWN
AG
SCALE
NTS
CHECKED
V.A./A.G.

PROJECT TITLE
BOWKER RD. REHABILITATION
FROM JASPER RD. TO FAWCETT RD.
IN IMPERIAL COUNTY;
STATE AID PROJECT No. LPPSB1L-5958(134)
COUNTY PROJECT No. 7206


CROSS SECTIONS DETAILS	
REFERENCE 7206	R-1015
SHEET 7	OF 12



CROSS SECTION DETAIL D-D
NTS 4/8



CROSS SECTION DETAIL E-E
NTS 5/8



CROSS SECTION DETAIL F-F
NTS 5/8

REVISION	DATE	COMMENTS



PREPARED UNDER THE DIRECT SUPERVISION OF:
Atanodo V.
VERONICA ATANODO, P.E.
DEPUTY DIRECTOR OF PUBLIC
WORKS - ENGINEERING
DATE *9/22/25*
61484
R.C.E. No.
06/30/27
REG. EXP.





COUNTY OF IMPERIAL PUBLIC WORKS DEPARTMENT
APPROVED FOR CONSTRUCTION BY:
John A. Gay
JOHN A. GAY, P.E.
DIRECTOR OF PUBLIC WORKS
DATE *9/22/25*
62028
R.C.E. No.
09/30/27
REG. EXP.



DATE 09/18/2025
DRAWN AG
SCALE NTS
CHECKED V.A./A.G.

PROJECT TITLE
BOWKER RD. REHABILITATION
FROM JASPER RD. TO FAWCETT RD.
IN IMPERIAL COUNTY;
STATE AID PROJECT No. LPPSB1L- 5958(134)
COUNTY PROJECT No. 7206

CROSS SECTIONS DETAILS			
REFERENCE	R-1015		
7206	SHEET	8	OF 12



REVISION	DATE	COMMENTS



PREPARED UNDER THE DIRECT SUPERVISION OF:

Atondo V.

VERONICA ATONDO, P.E.
DEPUTY DIRECTOR OF PUBLIC WORKS - ENGINEERING

9/22/25
DATE

61484
R.C.E. No.

06/30/27
REG. EXP.



COUNTY OF IMPERIAL PUBLIC WORKS DEPARTMENT
APPROVED FOR CONSTRUCTION BY:

John A. Gay

JOHN A. GAY, P.E.
DIRECTOR OF PUBLIC WORKS

9/22/25
DATE

62028
R.C.E. No.

09/30/27
REG. EXP.



DATE
09/18/2025

DRAWN
AG


SCALE
NTS

CHECKED
V.A./A.G.

PROJECT TITLE


BOWKER RD. REHABILITATION
FROM JASPER RD. TO FAWCETT RD.
IN IMPERIAL COUNTY;
STATE AID PROJECT No. LPPSB1L- 5958(134)
COUNTY PROJECT No. 7206

CROSS SECTIONS DETAILS AND DETAIL SHEET	
REFERENCE	R-1015
7206	
SHEET	OF
9	12



CALTRANS STANDARD DETAIL A20A
NTS

B
3-6/10



CALTRANS STANDARD DETAIL RSP A20B
NTS


C
6/10

REVISION	DATE	COMMENTS




PREPARED UNDER THE DIRECT SUPERVISION OF:
Veronica Atondo, P.E.
DEPUTY DIRECTOR OF PUBLIC WORKS - ENGINEERING
DATE: 9/22/25

61484
R.C.E. No.
06/30/27
REG. EXP.



COUNTY OF IMPERIAL PUBLIC WORKS DEPARTMENT
APPROVED FOR CONSTRUCTION BY:
John A. Gay, P.E.
DIRECTOR OF PUBLIC WORKS
DATE: 9/22/25

62028
R.C.E. No.
09/30/27
REG. EXP.




DATE: 09/18/2025
DRAWN: AG
SCALE: NTS
CHECKED: V.A./A.G.

PROJECT TITLE
BOWKER RD. REHABILITATION
FROM JASPER RD. TO FAWCETT RD.
IN IMPERIAL COUNTY;
STATE AID PROJECT No. LPPSB11- 5958(134)
COUNTY PROJECT No. 7206


DETAIL SHEET	
REFERENCE	R-1015
7206	SHEET 10 OF 12

BEGINNING OF CONSTRUCTION
STATION 54+94




MATCHLINE BELOW LEFT
STATION 72+00

MATCHLINE ABOVE RIGHT
STATION 72+00



MATCHLINE BELOW LEFT
STATION 90+50

MATCHLINE ABOVE RIGHT
STATION 90+50



END OF CONSTRUCTION
STATION 108+00

STORM WATER POLLUTION PREVENTION NOTES:

1. THE CONTRACTOR SHALL USE A QUALIFIED PERSON WHO HAS BEEN PROPERLY TRAINED TO CONDUCT INSPECTIONS AND PREPARE REPORTS OF THE CONSTRUCTION SITE WITH RESPECT TO THE COUNTY'S MUNICIPAL CODE/ORDINANCES AND THE EROSION CONTROL PLAN. THE QUALIFIED PERSON SHALL HAVE KNOWLEDGE AND TRAINING OF THE INTENT AND ENFORCEMENT OF EROSION CONTROL PLANS AND BMPs.
2. THE QUALIFIED PERSON SHALL CONDUCT REGULAR INSPECTIONS OF PROJECT SITE IN ACCORDANCE WITH THE RECOMMENDATIONS OUTLINED IN THE EROSION CONTROL PLAN. EACH INSPECTION SHALL BE DOCUMENTED IN THE FORM OF WRITTEN REPORTS SERRATED ON-SITE. ALL REPORTS SHALL BE PROVIDED TO THE COUNTY INSPECTOR AND ALSO BE MADE AVAILABLE TO THE RWQCB REPRESENTATIVES UPON REQUEST.
3. THE CONTRACTOR SHALL HAVE EMERGENCY MATERIAL AND EQUIPMENT ON HAND FOR UNFORESEEN SITUATIONS, SUCH AS DAMAGE TO UNDERGROUND WATER AND SEWER UTILITIES WHEREBY FLOWS MAY GENERATE EROSION AND SEDIMENT POLLUTION.

EROSION CONTROL NOTES:

1. NO SITE CLEARING OR GRADING SHALL BEGIN UNTIL ALL PERIMETER EROSION AND SEDIMENT CONTROL MEASURES HAVE BEE INSTALLED.
2. CONTRACTOR SHALL PROVIDE A PORTABLE RESTROOM FACILITIES TO A LOCATION APPROVED BY THE RESIDENT ENGINEER.
3. TEMPORARY EROSION CONTROL PRIOR TO COMPLETION OF FINAL IMPROVEMENTS SHALL BE PERFORMED BY THE CONTRACTOR AS INDICATED BELOW:
4. THE GRADING CONTRACTOR SHALL BE RESPONSIBLE FOR CLEAN UP OF SILT AND MUD ON ADJACENT STREETS DUE TO CONSTRUCTION ACTIVITY/TO PREVENT SILT AND MUD FROM LEAVING THE CONSTRUCTION AREA.
5. THE CONTRACTOR SHALL CHECK AND PROTECT LINED AND UNLINED DITCHES AFTER EACH RAINFALL.
6. EQUIPMENT AND WORKERS FOR EMERGENCY WORK SHALL BE MADE AVAILABLE AT ALL TIMES DURING THE RAINY SEASON. ALL NECESSARY MATERIALS SHALL BE STOCKPILED ON-SITE AT CONVENIENT LOCATIONS TO FACILITATE RAPID CONSTRUCTION OF TEMPORARY DEVICES WHEN THE RAIN IS IMMINENT.
7. DEVICES SHOWN ON THESE PLANS SHALL NOT BE MOVED OR MODIFIED WITHOUT THE APPROVAL OF THE RESIDENT ENGINEER.
8. THE CONTRACTOR SHALL RESTORE ALL EROSION CONTROL DEVICES TO WORKING ORDER TO THE SATISFACTION OF THE COUNTY ENGINEER AFTER EACH RAINFALL PRODUCING RUN-OFF.
9. THE CONTRACTOR SHALL INSTALL ADDITIONAL EROSION CONTROL MEASURES AS MAY BE REQUIRED BY THE COUNTY ENGINEER DUE TO UNCOMPLETED GRADING OPERATIONS OR UNFORESEEN CIRCUMSTANCES WHICH MAY ARISE.
10. THE CONTRACTOR SHALL BE RESPONSIBLE AND SHALL TAKE NECESSARY PRECAUTIONS TO PREVENT PUBLIC TRESPASS ONTO AREAS WHERE IMPOUND WATER CREATES A HAZARDOUS CONDITION.
11. ALL EROSION CONTROL MEASURES PROVIDED PER THE APPROVED GRADING AND STREET PLAN SHALL BE INCORPORATED HERON.
12. GRADED AREAS AROUND THE PROJECT PERIMETER MUST DRAIN AWAY FROM THE FACE OF THE SLOPE AT THE CONCLUSION OF EACH WORKING DAY.
13. ALL REMOVABLE PROTECTIVE DEVICES SHOWN SHALL BE IN PLACE AT THE END OF EACH WORKING DAY WHEN THE FIVE DAY RAIN PROBABILITY FORECAST EXCEEDS 40%.

SILTATION AND SEDIMENT CONTROL MEASURES NOTES:

1. PROVIDE FILTER ROLLS OR TRAP BY EVERY STORM DRAIN INLET TO PREVENT SEDIMENT FROM ENTERING DRAIN SYSTEM.
2. FILTER ROLLS AND FILL MATERIAL SHALL BE STOCKPILED AT INTERVALS, READY FOR USE WHEN REQUIRED.
3. ALL EROSION CONTROL DEVICES WITHIN THE PROJECT SCOPE SHOULD BE MAINTAINED DURING AND AFTER EVERY RUNOFF-PRODUCING STORM. CONTRACTOR SHALL MAKE SAFE ACCESS TO ALL AREAS AVAILABLE FOR MAINTENANCE CREWS
4. ANY PROPOSED ALTERNATE CONTROL MEASURES MUST BE APPROVED IN ADVANCE BY THE COUNTY ENGINEER.

TEMPORARY CONSTRUCTION SITE BMPs


BMP NO.	ITEM	NOTES/ COMMENT
-	CONSTRUCTION SITE AND BMP MANAGEMENT	SITE MANAGEMENT INCLUDES, BUT IS NOT LIMITED TO TC-1, TC-3, WM-5, WM-6, NS-3, NS-12, WM-8 AND WM-9. REFER TO LATEST VERSION OF CASQA STORMWATER BMP HANDBOOK.
-	STREET SWEEPING	STREET SWEEPING SHALL BE PERFORMED DAILY AS NECESSARY TO ENSURE TRAVELED WAYS ARE FREE OF DIRT.
-	TEMPORARY RESTROOM FACILITIES	THE RESTROOM FACILITIES SHALL BE SECURED FROM OVERTURNING IN HIGH WIND CONDITIONS
WE-1	WIND EROSION CONTROL	MAINTAIN DUST CONTROL THROUGHOUT THE ENTIRE SITE FOR THE DURATION OF THE PROJECT. WATER TRUCKS, OR EQUIVALENT BMP, SHALL BE USED FOR DUST SUPPRESSION.

EROSION CONTROL KEYNOTES

1. INSTALL FIBER ROLLS PER BMP DETAIL SC-5. SEE DETAIL F AND G ON SHEET 12.
2. CONTRACTOR SHALL SWEEP STREET PER SC-7.

STAGING AREA WILL USE THE FOLLOWING BMPs PER LATEST REVISION OF CASQA STORMWATER BMP HANDBOOK: LOCATION OF STAGING AREA TO APPROVED BY THE RESIDENT ENGINEER.

- WE-1 - WIND EROSION CONTROL
- TC-1 & TC-3 - STABILIZED CONSTRUCTION ENTRANCE / EXIT WITH TIRE WASH
- WM-5 - SOLID WASTE MANAGEMENT
- WM-6 - HAZARDOUS WASTE MANAGEMENT
- WM-8 - CONCRETE WASTE MANAGEMENT
- WM-9 - SANITARY / SEPTIC WASTE MANAGEMENT



LEGEND

1. PORTABLE TOILET
2. SAND BAGS
3. CONCRETE WASHOUT AREA
4. FIBER ROLLS

REVISION	DATE	COMMENTS



PREPARED UNDER THE DIRECT SUPERVISION OF:

Atondo V.
VERONICA ATONDO, P.E.
DEPUTY DIRECTOR OF PUBLIC
WORKS - ENGINEERING
9/22/25
DATE

61484
R.C.E. No.
06/30/27
REG. EXP.



COUNTY OF IMPERIAL PUBLIC WORKS DEPARTMENT
APPROVED FOR CONSTRUCTION BY:

John Gay
JOHN A. GAY, P.E.
DIRECTOR OF PUBLIC WORKS
9/22/25
DATE

62028
R.C.E. No.
09/30/27
REG. EXP.



PUBLIC WORKS DEPARTMENT
COUNTY OF IMPERIAL
EL CENTRO, CALIFORNIA

DATE	09/18/2025
DRAWN	AG
SCALE	NTS
CHECKED	V.A./A.G.

PROJECT TITLE

BOWKER RD. REHABILITATION
FROM JASPER RD. TO FAWCETT RD.
IN IMPERIAL COUNTY;
STATE AID PROJECT No. LPPSB1L- 5958(134)
COUNTY PROJECT No. 7206

EROSION CONTROL PLANS


REFERENCE
7206

R-1015

SHEET 11 OF 12


Fiber Rolls

SC-5



Fiber Rolls

SC-5



FIBER ROLL DETAIL

NTS

F
11 12

FIBER ROLL DETAIL

BMP SC-5
NTS

G
11 12

REVISION	DATE	COMMENTS




PREPARED UNDER THE DIRECT SUPERVISION OF:
Atondo V
VERONICA ATONDO, P.E.
DEPUTY DIRECTOR OF PUBLIC
WORKS - ENGINEERING
DATE *9/22/25*

61484
R.C.E. No.
06/30/27
REG. EXP.



COUNTY OF IMPERIAL PUBLIC WORKS DEPARTMENT
APPROVED FOR CONSTRUCTION BY:
John A. Gay
JOHN A. GAY, P.E.
DIRECTOR OF PUBLIC WORKS
DATE *9/22/25*

62028
R.C.E. No.
09/30/27
REG. EXP.



DATE
09/18/2025
DRAWN
AG
SCALE
NTS
CHECKED
V.A./A.G.

PROJECT TITLE

BOWKER RD. REHABILITATION
FROM JASPER RD. TO FAWCETT RD.
IN IMPERIAL COUNTY;
STATE AID PROJECT No. LPPSB1L- 5958(134)
COUNTY PROJECT No. 7206

EROSION CONTROL DETAILS

REFERENCE
7206

R-1015
SHEET 12 OF 12